



WIDESPREAD ECZEMA RELIEF

\$0 COPAY*

For most commercial
insured patients

TRIAMCINOLONE ACETONIDE

0.05%
OINTMENT
74157-901-90



Each jar contains:

Each gram of Triamcinolone Acetonide Ointment, USP contains 0.5 mg of Triamcinolone Acetonide USP

How Supplied:

- Triamcinolone Acetonide Ointment, is supplied in 430 g jars (NDC 74157-901-90).



TRIAMCINOLONE ACETONIDE OINTMENT

is indicated for the relief of the inflammatory and pruritic manifestations of corticosteroid responsive dermatoses.

Usual Dosage:

- Apply a thin film of the ointment to the affected area two or four times a day. See package insert for additional information. Dispense in a well-closed container.

Storage Instructions:

- Store at 20° to 25°C (68° to 77°F).
DISPENSE IN A WELL-CLOSED CONTAINER.
[see USP Controlled Room Temperature].

Contraindications:

Triamcinolone Acetonide Ointment, USP is contraindicated in those patients with a history of hypersensitivity to any of the components of the preparation.



KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

You may report side effects to FDA at 1-800-FDA-1088.

SEE REVERSE FOR COMPLETE PRESCRIBING INFORMATION